WORKFORCE PRO WF-C5290/C5790



WF-C5290	WF-C5790
	Print, Scan, Copy, Fax with ADF
	copi or man
4800 x 1200 dni (with Variable-Sized Droplet Techno	nloav)
1000 X 1200 dp. (Wall Validable Olega Bropiet 1001 like	50917
Unito 34ppm / 34ppm	
Op to 24lpi117 24lpi11; Op to 13lpi117 13lpi11	
DCL 50 DCL6 Compatible with PostCoriet Lavel 2	DDE (vort 7) ESC/D D
	PDF (Vert.7), ESC/P-R
Yes (up to A4)	
	Up to 22ipm / 22ipm
N/A	Up to 22ipm / 22ipm
N/A	Up to 14ipm / 14ipm
N/A	999 copies
N/A	25 - 400%, Auto Fit Function
N/A	600 x 1200 dpi
	A4, Letter
	Letter A4 B5 A5 B6 A6 16K 13 v 18 cm 16:9
1471	Letter, A4, B5, A5, B6, A6, 16K, 13 x 18 cm, 16:9, 10 x 15 cm, #10, DL, C4, C6
N/A	Flatbed colour image scanner / CIS
1971	N/A 1200 x 2400 dpi
N/A	216 x 297 mm (8.5" x 11.7")
IVA	_ 216 x 297 HIII (6.5 X 11.7)
	48-bit input, 24-bit output
	16-bit input, 8-bit output
N/A	16-bit input, 1-bit output
N/A	5.0sec / 24ppm / 8.0ipm
·	
N/A	6MB, Up to 550 pages (ITU-T No.1 chart)
N/A	Up to 33.6kbps, Approx. 3sec/page / up to 200 dpi
N/Δ	A5, B5(JIS), Letter, A4
	Letter, A4, Legal, A5, B5, 8.5" x 13"
	Up to 200 numbers, 199 groups
N/A	PC Fax (Transmission / Receive), Address Book, Delay Send
	Transmit Reservation (50 case), Broadcast Fax (Mono Only)
NI/A	
N/A	64 - 95 g/m² / 50 pages (80 gsm)
N/A	USB Host (Scan to memory device / Storage function)
2 (Front 1, Rear 1)	2 (Front 1, Rear 1)
Cassette 1: 250 sheets (80g/m²), 50 sheets Premiur	m Glossy Photo Paper, Rear Slot: 80 sheets (80g/m²)
150 sheets (80g/m²), 20 sheets Premium Glossy Ph	oto Paper
8.5 x 13", Legal, Letter, A4, Executive, B5, A5, A6, F	B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4
215.9 x 6.000 mm (8.5 x 236.2"), 3mm top, left, righ	nt. bottom
215.9 x 6,000 mm (8.5 x 236.2"), 3mm top, left, righ	ht, bottom
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D	Direct, NFC
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S	
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD	 Difrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering,	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD	 Difrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification	birect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering,	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver,
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification	irrect, NFC SIMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification	irrect, NFC SIMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Sen	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification	irrect, NFC SIMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud 4.3" TFT Colour Touch LCD
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud 4.3" TFT Colour Touch LCD
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud 4.3" TFT Colour Touch LCD
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Sen 2.4" TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Sen	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud 4.3" TFT Colour Touch LCD
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Servace 100 - 240 V	irriect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud vice 4.3" TFT Colour Touch LCD ver 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Sen 2.4* TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Sen AC 100 - 240 V	irrect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud vice 4.3" TFT Colour Touch LCD ver 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Serva AC 100 - 240 V	irriect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud 4.3" TFT Colour Touch LCD ver 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later 25W 12W
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Serva AC 100 - 240 V 22W 7.0W 1.2W	initrect, NFC SNMR, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud vice 4.3" TFT Colour Touch LCD ver 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later 25W 12W 1.5W
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi D TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD, S SLP, WSD, LLTD Panel Admin Mode, IP Address Filtering, PIN No. Certification Epson iPrint, Epson Email Print, Remote Print Driver Apple AirPrint, Google Cloud Print, Mopria Print Ser 2.4* TFT Colour LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Serva AC 100 - 240 V	irriect, NFC SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTF Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud 4.3" TFT Colour Touch LCD ver 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later 25W 12W
	Print 4800 x 1200 dpi (with Variable-Sized Droplet Technology) 4800 x 1200 dpi (with Variable-Sized Droplet Technology) Up to 34ppm/34ppm Up to 24ipm/24ipm. Up to 15ipm/15ipm PCL 5c, PCL 6. Compatible with PostScript Level 3. Up to 45,000 pages Yes (up to A4) N/A N/A N/A N/A N/A N/A N/A N/

Dimensions & Weight WF-C5290 Weight: 15.3kg / 33.7lb



WF-C5790 Weight: 18.7kg / 41.2lb



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- *2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities
- *3 Default mode in accordance with ISO7779 for MFPs
- *4 In accordance with ISO 24711/24712. Actual yields will vary for reasons including images printed, print settings, temperature and humidity. A variable after the ink from the first ink is used. Cartridges is used for priming the printer. Ink is used for both printing and print head maintenance. All inks are printing.

© 2018 Epson Australia Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Information correct at time of printing Printed September 2018

A4 COLOUR INKJET PRINTERS


WORKFORCE PRO WF-C5290/C5790





Enjoy affordable, reliable printing with Epson WorkForce Pro WF-C5290 and WF-C5790 business printers. Delivering fast print speeds of up to 24ppm a warm-up time of zero seconds, and with a first page-out time of just 4.8 seconds, these printers are built to handle the most office applications. With a range of printing and connectivity features, this printer series is the ideal solution for small workgroups that require hassle-free, low-maintenance and a productive-boosting print solution.







WorkForce Pro WF-C5290 Print



WorkForce Pro WF-C5790 Print/Scan/Copy/Fax/Email



















Platform Enabled



With PrecisionCore™ printhead technology, Epson WorkForce Pro WF-C5290/WF-C5790 excels with speed, quality and reliability.

High Quality and Productivity

Print up to $4,800 \times 1,200$ dpi and enjoy unparalleled productivity with no warm-up time and fast first page out time of less than 6 seconds.

Versatile Paper Handling

Expand paper handling capabilities with optional paper cassettes and a rear tray for special media such as envelopes and labels

Exceptional Low Running Costs, Energy Usage

Maximise cost-savings with Epson's extremely high-yield replaceable ink packs, capable of printing up to 10,000 pages in black or 5,000 pages in colour. And no heat, no fuser printing enables up to 87% reduction in energy use*





Fast, reliable and cost efficient, Epson WorkForce Pro business printers deliver outstanding print performance and quality colour output. With an innovative print system and a wide range of connectivity features, the WF-C5290 and WF-C5790 are the printers you need for your everyday business.

Best-in-class Colour Print Quality



Epson's revolutionary PrecisionCore print technology delivers the best of both worlds for your office or customer-facing applications.

Default print speeds of 22 ppm, an incredible sero second warm-up, and a first page out time of just 4.8 seconds, they're designed to keep your office, or your customers, moving. To empower your sales and marketing collateral print colour up to 4800 x 1200 dpi, best-in-class print quality that can provide your business a genuine competitive edge.



PrecisionCore Print Chip



Simple, cool, contactless technology



Complex technology using heat and pressure

Innovative Replaceable Ink System

Convenience is a top priority. That's why Epson's Replaceable Ink Pack System (RIPS) is designed for easy, hassle-free ink replacements. With each standard ink pack giving you up to 3,000 pages in black or colour, or 5,000 pages for the large ink packs, and the option to purchase the XL black ink pack that prints up to 10,000 pages, you minimise the downtime needed to replace the inks and enjoy greater cost savings.

In addition, Epson's DURABrite™ Ultra ink delivers laser-like quality prints that are water- and smudge-resistant.




Enjoy greater cost-savings with these high-volume ink packs

Consumables Page Yield* **Order Code** Extra Large Black Ink Pack (XL) 10,000 pages C13T938192 C13T937192 Large Black Ink Pack (L) 5,000 pages Large Cyan Ink Pack (L) 5,000 pages C13T937292 Large Magenta Ink Pack (L) C13T937392 5,000 pages Large Yellow Ink Pack (L) 5,000 pages C13T937492 Standard Black Ink Pack 3,000 pages C13T936192 C13T936292 Standard Cvan Ink Pack 3.000 pages Standard Magenta Ink Pack 3,000 pages C13T936392 Standard Yellow Ink Pack 3,000 pages C13T936492 Maintenance Roller C13T671600 20,000 pages **Options and Warranty** Optional 500 sheet paper cassette C12C932611 Additional 2 Year CoverPlus Warranty (Up to 3 years) for WF-C5290 2YWC5290

Additional 2 Year CoverPlus Warranty (Up to 3 years) for WF-C5290 2YW5790

* In accordance with ISO 24711/24712. Actual yields will vary for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first





Built for the Environment

Energy Saving

Demonstrating Epson's ongoing commitment to cut the environmental impact of printing, the new WorkForce Pros are low-power units that use fewer supplies and much less energy than comparable laser models – reducing environmental impact without compromising on output.

Both the Epson WF-C5290 and WF-C5790 are remarkably low TEC values of just 0.2kWh. What's more, power consumption during standard operation is kept at a minimum with the WF-C5290 using only 22W and the WF-C5790 at 25W. These are significantly lower than laser copiers/printers. And unlike conventional laser copiers/printers, they use no heat and are more environmentally friendly.

Superior Productivity



Automatic Duplex

Both printers support automatic duplex printing of up to 15 ppm for A4, reducing paper wastage. The single-pass duplex ADF unit (up to 50 sheets) equipped on the WF-C5790 enables convenient scanning and copying of multi-page documents.



Versatile Paper Handling

Both printers can be upgraded with an additional paper cassette to support up to 830 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media, envelopes and labels.



USB Host Function

The WF-C5790 comes with a USB port for printing, scanning and saving faxes directly using the memory devices.



LCD Screen

Experience easy set-up and PC-less operation with a 2.4" colour LCD screen on the WF-C5290 and 4.3" colour touch screen on the WF-C5790.

Versatile Connectivity

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax (WF-C5790), Wi-Fi Direct, NFC and USB 2.0, these printers are perfect for office environments. What's more, Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any device or PC with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud (WF-C5790 only) Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple[®] AirPrint[™]
- Google Cloud Print™
- Mopria™ Print Service

Advanced Management and Workflow Solutions

Get the most out of your printers with an extensive range of software solutions.

Fleet Management



Epson Device Admin

A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Print Management



Epson Print Admin

A server-based solution that creates a secured centralised printing, scanning and copying environment through user-authentication. Advanced reporting functions can help organisations reduce printing costs and run Managed Print Programmes.

Document Management



Document Capture Pro*

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises

barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

*Document Capture Pro (Windows), Document Capture (Mac OS X)



Document Capture Pro Server

The WF-C5790 is compatible with Document Capture Pro Server, making it easy to seamlessly

manage documents. Document Capture Pro integrates into document management and cloud storage systems, enabling you to capture, enhance, edit and distribute scanned documents effectively throughout your business.

Integration with Third-party Solutions

Epson Open Platform

Gain complete control of your printing operations via a range of third-party solutions that enable you to adapt the WorkForce Pro printers to meet specific and changing business requirements with solutions for print and document management.

Robust Security Features

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Limited Access Function (WF-C5790 only)

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book (WF-C5790 only)

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.